



HOW TO INSTALL YOUR FOCUS BIKE ON A
SMART TRAINER



*INSTALLATION****SMART TRAINER***

1.1 TACX	03
1.2 WAHOO	04

Tacx



Some Tacx smart trainers use quick release axles. These are:

Typ 1 Trainers:

- NEO Smart
- NEO 2 Smart
- FLUX Smart
- FLUX S Smart (direct thru-axle versions also available with T2875-01 part number)
- FLUX 2 Smart (direct thru-axle versions also available with T2875-01 part number)


Due to the FOCUS R.A.T. axle, you have to exchange the R.A.T. Evo Insert on the right side of the dropout with a FOCUS threat thru-axle nut. You can order it through your local FOCUS dealer (article code: KD325919160).

YOU JUST NEED THE FOLLOWING PARTS TO GET YOUR FOCUS BIKE ON A TACX TRAINER:

1. Tools: 15 mm wrench and a 2.5 mm Allen key.
2. TACX parts (like thru-axle and a, b, c, d) are most likely included in the delivery of the trainer.
3. Extra parts: FOCUS thru-axle nut, article code: KD325919160.



1. Take the R.A.T. Evo Insert off.



2. Assemble the FOCUS threat thru-axle nut (3).




3. Tighten the spacer sleeve (2a) on the drive-side.



4. Tighten the spacer sleeve (2b) on the non-drive-side. Now your trainer is ready for the frame.



5. Stick in the sleeve (2c) on the non-drive-side through the dropout.



6. Screw the threat sleeve (2d) through the FOCUS threat thru-axle nut on the drive-side.



7. Tighten the TACX quick-release axle by hand until it is tight.



8. Do not fold the lever, just tighten the axle.



WAHOO smart trainers are working with all standard thru-axes. You can use your standard FOCUS R.A.T. thru-axe.

ALL YOU NEED TO GET YOUR FOCUS BIKE ON A WAHOO TRAINER:

1. WAHOO parts are included with your trainer.



1. Fit in the spacer sleeve (1a) on the drive-side.



2. Spacer sleeve (1b) is ready for two installation widths (142/148mm).




3. Fit in the spacer sleeve (1b) on the non-drive-side. FOCUS road bikes are using 142 mm widths.



4. Use your FOCUS R.A.T. thru-axe.



5. If it's too hard to close the lever...



6. ...adjust the preload of the axle...



7. ...until the lever closes.



R I D E T O G E T H E R

R I D E B E Y O N D

We hope we could help you. Should you still have any questions or feedback, you can contact us by email:
info@focus-bikes.com

Now it is time to sweat.
Enjoy your indoor training.

Yours,
FOCUS team

